

OXC-3047  
Copy 8 of 8

12 February 1962

ADMINISTRATIVE  
ORIGINAL FILED X  
11/21/82

MEMORANDUM FOR THE RECORD

25X1A

SUBJECT : Conversation with [ ] on 12 February Regarding  
OXCART Support Aircraft and Movie Projectors [ ]

25X1A

REFERENCE : Memo to AFMIG-5 from AC/DPD dated 8 February 1962; Subject:  
"Support Aircraft for the "O" Program", paragraph 2a (OXC-3023)

25X1A

1. Having heard from Colonel Geary this date with regard to paragraph 2a of the reference, I called [ ] to tell him that I had agreed with Colonel Geary that since we were about to lose our Project C-54 at Bolling on account of wing spar corrosion repairs and would require a replacement aircraft, we would want to use the C-54G originally programed for [ ] group in its stead.

25X1A

25X1A

2. [ ] was in substantial agreement with this move, which would change the substance of the referenced document by that much. His only concern was that in the course of this exercise we not end up with two C-54's at Bolling. I told [ ] that Colonel Geary had assured me that all this would do would be to postpone the decision on the OXCART C-54 by the length of time required to either repair the present Bolling aircraft, or to discover perhaps that it was beyond repair. In any event Colonel Geary had indicated that should we not require the OXCART C-54 until almost the end of calendar 1962, he would want to turn it back into USAF inventory control so that someone else might get the use out of it in the meantime. [ ] and I agreed that there would be no requirement to amend the referenced memorandum, and I requested that he advise Colonel Geary's office of our complete acceptance of the revised trade arrangement.

25X1A 25X1A

25X1A

25X1A

25X1A

3. On the subject of motion picture projectors and equipment, [ ] had advised me that AFMPS had told him that the 35 mm projectors and associated equipments [ ] would weigh between 6,000 and 8,000 pounds. [ ] reports that they are available, but before accepting them he wanted to be reassured that the floor loading in the projection booth could stand this type of weight. I asked [ ] if he

25X1A

OXC-3047

Page 2

25X1A

25X1A

25X1A

25X1A

would look into this matter with [ ] and then inform [ ]  
[ ] of our findings with regard to the floor stressing.  
[ ] said that it might be necessary for him to obtain drawings of the  
layout of the equipment to see if the load could not be spread so as to  
avoid any problem with the building structure. I have turned this matter  
over to him for follow-through with [ ]

25X1A

JAMES A. CUNNINGHAM, JR.  
Acting Chief, DPD-DD/P

Distribution:

- 1 - ASST CH/DPD
- 2 - AC/DPD
- 3 - DPD/MAT
- 4 - DPD/SPB
- 5 - DPD/ADMIN
- 6 - C/DPD/DB
- 7 - DPD/SO
- 8 - DPD/RI

DPD-DD/P:JACunningham, Jr./mg